## **Technical** Data Sheet



## OE57RMK(finish) OLD ENGLISH® BRIDLINGTON

Product Code OE57RMK(finish)

Product Name OLD ENGLISH® Bridlington Wood Reeded Beehive Door Knob on Face Fix Rose

**Product Description** Bridlington Wood Reeded Beehive Door Knob on Face Fix Rose

Product Base Material Solid Brass & Porcelain

Available Finishes Antique Brass (AB) Polished Brass (PB)

Satin Nickel (SN)

Other Information To be cleaned using a soft damp cloth. Chemicals, solvents or abrasives will

damage the applied finish. Supplied with 15x6mm

CSK Poxy Head Brass Screws (quanitity 12) and Allen Key. 10 Year Mechanical

Guarantee subject to fitting requirements.


Face Fix


Matching WC Turn: OEOWC(finish)


Key: OERKE(finish) Matching ESC:

**Dimensions OE57RMK Dimensions:** 

Knob Diameter: 57mm Projection: 90mm Rose Diameter: 58mm







## Care of Finish

In the unusual event of this product failing mechanically, we will replace it free of charge, providing you can supply us with the faulty product and a receipt to show proof of purchase. If the items are not fitted in accordance with the fitting instructions, in a correct application, this may not apply.

Products have an applied finish, and we do recommend regular cleaning with a soft cloth. If necessary, you may moisten the cloth, with water. If this is not effective in removing accumulated deposits, try using a PH-neutral soap on a soft cloth, then remove the soap immediately after application, with the help of a clean, moist, soft cloth. Under no circumstances should you use an abrasive/hard tool, chemical, acidic or abrasive substance to clean these products. This will break down the applied finish. The finish may chip or scratch if subjected to impact from sharp items such as keys and jewellery. Atlantic UK retains the right to send items away for chemical testing to analyse if the product has come into contact with any abrasive or chemical substance before issuing replacements.

Please be aware that in environments where there are high concentrations of chemicals in the air, for example from the use of low-quality paint or corrosive agents, corrosion and damage may occur to the surface of the product. Products should therefore not be fitted in such environments, until the high concentration of chemicals in the air has subsided.